

Armed Forces College of Medicine AFCM



Small intestine: Duodenum, Jejunum, Ilium & Mesentery

Dr. Gamal T. Abdelhady Lecturer of Anatomy

INTENDED LEARNING OBJECTIVES (ILO)



- •By the end of this lecture the student will be able to:
- 1.Describe parts, relations, peritoneal covering blood supply and lymphatic drainage of duodenum.
- 2.Differentiate between a loop of jejunum and ileum
- 3.Enumerate blood supply of jejunum and ileum
- 4.Discuss course and contents of mesentery

Key Points



1.Anatomical features of duodenum

2. Differences between jejunum and ileum


3.Course and contents of mesentery of small intestine

Small Intestine



Upper fixed part

Lower mobile part







lleum


Small Intestine



Extent:

It extends from
 pyloric end of the stomach
 to

ileo-caecal junction





10" long, is the shortest, widest & most fixed part of small

intentine


Begins at pyloric end of stonach

Ends at duodeno-jejunal fle ure


Site & Shape:

C-shaped surrounding he pancreas

Lies in umblical & epigastric regions



Gray's Anatomy for Students-4th ed





Four parts:

1st (superior) part

2 inches (opposite L1)

2nd (descending) part


☐ 3 inches (from L1 to L3)

3rd (horizontal) part

4 inches (Opp L3)

4th (ascending) part

☐ 1 inch (from L3 to L2)






☐ Peritoneal covering:

Duodenum is
Retro-peritoneal &
fixed to post abd wall
except

1st inch of 1st part

Whish is freely mobile & has: Lesser omentum



Atlas of human anatomy by Frank H. Netter, 6th Edition

1st Part of Duodenum




Anterior relations

Posterior relations

Superior relations &

Inferior relations




2nd Part of Duodenum



Anterior relations


Posterior relat **On Right Side**



 The CBD & the main pancreatic duct unite to form hepatopancreatic ampulla

which opens in:

Major Duodenal Papilla




3rd Part of Duodenum

Anterior

- > Stremesentricsvessels (in root of mesentry)
 - Loops of jejunum

Posterior


- Rt ps**oas majoosep**arated from it by Rt ureter
- IVC separated from it by Right gonadal vessels
- Abd aorta separated from it by Inferior mesentric artery



4th Part of Duodenum

Anterior relations


Posterior relations



	Upper part (foregut)	Lower part (midgut)
Blood Supply	Sup. Pancreatico-duodenal (Coeliac trunk) + supra-duodenal	Inf. pancreatico-duodenal (SMA)
Lymphati c Drainage	Hepatic & Pyloric LN Coeliac LN	Sup mesentric LN
Nerve Supply	Coeliac plexus	Sup mesentric plexus

Duodenal Ulcer

Ulcer in the post wall of 1st part of duodenum leads to Erosion of Gastro-duodenal artery: Severe hemorrhage



Gastric (or stomach) ulcer


https://www.google.com/url? sa=i&source=images&cd=&cad=rja&uact=8&ved=2ahUKEwiov K-fylLmAhXB8eAKHYI2CroQjB16BAgBEAM&url=https%3A%2F %2Fwww.chemistanddruggist.co.uk%2Fcpd-article%2Fstomachulcers-medications-drugs&psig=AOvVaw3Jd8F_MKu5zx--PRAhayei&ust=1574675141066485


Radiograph of Duodenum (Barium Meal®)

1st part of duodenum appears as a triangular shadow
→ Duodenal cap
→ distorted in

duodenal ulcer

Duodenal ca





https://www.google.com/url?

sa=i&source=images&cd=&cad=rja&uact=8&ved=2ahUKEwiT8onDyILmAhXOD2MBHQSaCj AQjB16BAgBEAM&url=http%3A%2F%2Fsinoemedicalassociation.org%2Fsurgery %2Fgastricsurgery

%2Fid19.htm&psig=AOvVaw3r7LzWNK9UWwlswOeNT3Z5&ust=1574675199328451

GIT Module

Lecture Quiz




1st part of duodenum lies opposite:

- a) T12
- b) L1
- c) L2
- d) L3

Jejunum & Ileum



- 6 meters in length
- Separated from anterior abdominal wall by greater omentum & surrounded by large
- Completely covered by peritoneum & has mesentery suspended it from post abd wall




Gray's Anatomy for Students-4th ed

Jejunum

Ileum

Proximal 2/5 lies in upper part of abdominal cavity

Distal 3/5 lies in lower part of abdominal cavity



Lecture Quiz



Which of the followings is a characteristic feature of jejunum?

- a)Payer's patches
- b)Long vasa recta
- c)No plica circulares
- d)Narrow lumen

Mesentery of Small Intestine



Def:


Fan-shaped double fold of peritoneum enclosing loops of small

intestine

2 parts:

Root of mesentery (Attached border)

- 6" long
- Attached to post abd wall from duodeno-jejunal flexure to ileo-caecal junction
 - It cross the following structures successively:




Contents of Mesentery

1- Coils of S.I (In free border)

2- Superior mesenteric vessels (In root of mesentery)

3- Jejunal & ileal branch of **Superior mesenteric** artery (forming arterial arcades)



GIT Module


Contents of Mesentery



4- Mesenteric LN & **Vessels**

5- Extra-peritoneal Fat

6- Autonomic fibers (from superior mesenteric plexus)



25 New Five Year Program GIT Module

Lecture Summary





intestine: duodenum, jejunum &ilium &

Describe parts, relations, peritoneal covering blood supply and lymphatic drainage of duodenum.

Differentiate between a loop of jejunum and ileum Enumerate blood supply of jejunum and ileum

Discuss course and contents of mesentery

Suggested Readings



- 1. Gray's Anatomy for Students-4th Edition
- 2. Atlas of human anatomy by Frank H. Netter, 6th Edition
- 3. Clinical Anatomy for Medical Students, Richard S. Snell, Pages

 For further inquiries <u>PLZ</u> feel free to contact at any time through email

gamaltaha@med.asu.edu.eg

Gamal_Abdel-Hadi@afcm.edu.eg





Thank You